

LYSSY & ECKEL FORAGE MAX 7-7

FREE-CHOICE SUPPLEMENT FOR BEEF CATTLE ON PASTURE

GUARANTEED ANALYSIS

Crude Protein, min.....	3.00%
Crude Fat, min.....	3.00%
Calcium (Ca), min.....	7.00%
Calcium (Ca), max.....	7.50%
Phosphorus (P), min.....	7.00%
Salt (NaCl),.....	0 added
Potassium (K), min.....	2.50%
Magnesium (Mg), min.....	2.0%
Sodium (Na), min.....	6.0%
Chlorine (Cl), min.....	1.5%
Sulfur (S), min.....	0.8%
Iron (Fe), min.....	110.0 ppm
Cobalt (Co), min.....	40.0 ppm
Copper (Cu), min.....	2000.0 ppm
Iodine (I), min.....	70.0 ppm
Manganese(Mn), (min).....	5100.0 ppm
Selenium (Se), min.....	26.0 ppm
Zinc (Z), min.....	6000.0 ppm
Vitamin A, min IU/lb.....	205,000
Vitamin D, min IU/lb.....	51,000
Vitamin E, min IU/lb.....	155
Total Sugars, (as invert), min.....	30.00%



Net Weight 125 lb (56.81 kg)

Manufactured For:
Lyssy & Eckel, L.P.
P.O. Box 128
Poth, TX 78147

INGREDIENTS

Cane Molasses, Dicalcium Phosphate, Monocalcium Phosphate, Magnesium Oxide, Vegetable Oil, Zinc Sulfate, Manganese Sulfate, Calcium Carbonate, Selenium, Zinc Amino Acid Chelate, Copper Sulfate, Manganese Amino Acid Chelate, Copper Amino Acid Chelate, Vitamin A Acetate, Vitamin E Supplement, Vitamin D Supplement, Cobalt Sulfate, Ethylenediamine Dihydrochloride.

FEEDING RECOMMENDATIONS

1. Feed one tub per 20-25 head of cattle and at least 2 tubs per pasture to ensure adequate intake by younger, timid animals.
2. Place tubs within 100 feet of where animals congregate (loafing, grazing, feeding and watering areas).
3. Feed tubs continuously along with plentiful sources of forage and fresh clean water.
4. Cattle will consume approximately 2 to 6 ounces of this supplement per head daily.
5. This product does not contain added salt, therefore, supplemental salt should be offered at all times.

INTRODUCTORY PERIOD: During the first week of use, place the tubs within 100 feet of loafing and/or watering areas. As cattle become accustomed to tubs' presence to maintain proper consumption, some repositioning may be necessary, closer to increase, further to decrease. Do not provide free access to starved animals.

IMPORTANT: Consumption rate depends on location of the tubs with respect to loafing, grazing, feeding and/or watering areas. Also consider animal condition, forage quality and quantity, and seasonal weather conditions. If over consumption occurs for more than two weeks, despite tub repositioning, remove tubs and evaluate the overall feeding program.

CAUTION: Do not feed to sheep or allow sheep to have access to this product. This product contains high levels of supplemental copper.